

## References

- Aboubaker, S. (2013). The Integrated Global Action Plan for the Prevention and Control of Pneumonia and Diarrhoea Outline of Presentation Introduction. *Ending Preventable Child Deaths from Penumonia and Diarrhoea by 2025*, (April).
- Aremu, O., Lawoko, S., Moradi, T., & Dalal, K. (2011). Socio-economic determinants in selecting childhood diarrhoea treatment options in Sub-Saharan Africa : A multilevel model. *Italian Journal of Pediatrics*, 37(1), 13. <https://doi.org/10.1186/1824-7288-37-13>
- Burden, G., Diseases, O. F., & Study, R. F. (2010). Gbd Profile : Syria, 2010(Gbd), 1–4.
- Cameron, A. C., & Trivedi, P. K. (2005). *Microeconometrics Methods and Applications*.
- Chowdhury, F., Khan, I. A., Patel, S., Siddiq, A. U., Saha, N. C., Khan, A. I., ... Ali, M. (2015). Diarrheal illness and healthcare seeking behavior among a population at high risk for diarrhea in Dhaka, Bangladesh. *PLoS ONE*, 10(6), 1–14. <https://doi.org/10.1371/journal.pone.0130105>
- Chrisman, N. J. (1977). The health seeking process: An approach to the natural history of illness - Springer. *Link.Springer.Com*, 1, 351–377. <https://doi.org/10.1007/BF00116243>
- Dagneu, A. B., Tewabe, T., & Murugan, R. (2018). Level of modern health care seeking behaviors among mothers having under five children in Dangila

town , north West Ethiopia , 2016 : a cross sectional study, 1–6.

<https://doi.org/10.1186/s13052-018-0503-z>

*Demographic and Health Surveys Methodology*. (2013).

Dobbing, J. (1990). Early Nutrition and Later Achievement. *Proceedings of the Nutrition Society*, 49(July 1990), 1–16.

<https://doi.org/10.1079/PNS19840031>

El-Gilany, A. H., & Hammad, S. (2005). Epidemiology of diarrhoeal diseases among children under age 5 years in Dakahlia, Egypt. *Eastern Mediterranean Health Journal*, 11(4), 762–775.

Ikatan Dokter Anak Indonesia. (2009). *Buku Ajar Gastroenterologi-Hepatologi. IDAi*.

Kasl, S. V., & Cobb, S. (1966). Health Behavior, Illness Behavior and Sick Role behavior. *Archives of Environmental Health: An International Journal*.

<https://doi.org/10.1080/00039896.1966.10664365>

Kementerian Kesehatan Republik Indonesia. (2016). *Profil Kesehatan Indonesia*.

Jakarta. Retrieved from [www.kemendes.go.id](http://www.kemendes.go.id)

Kementerian Kesehatan Republik Indonesia. (2017). Data and Information Indonesia Health Profile 2017. *Data and Information Indonesia Health Profile 2017*, 100.

Niehaus, M. D., Moore, S. R., Patrick, P. D., Derr, L. L., Lorntz, B., Lima, A. A., & Guerrant, R. L. (2002). Early childhood diarrhea is associated with

diminished cognitive function 4 to 7 years later in children in a northeast Brazilian shantytown. *American Journal of Tropical Medicine and Hygiene*.  
<https://doi.org/10.4269/ajtmh.2002.66.590>

Ogunlesi, T. A., & Olanrewaju, D. M. (2010). Socio-demographic factors and appropriate health care-seeking behavior for childhood illnesses. *Journal of Tropical Pediatrics*, *56*(6), 379–385. <https://doi.org/10.1093/tropej/fmq009>

Olango, P., & Aboud, F. (1990). Determinants of mothers' treatment of diarrhea in rural Ethiopia. *Social Science and Medicine*, *31*(11), 1245–1249.  
[https://doi.org/10.1016/0277-9536\(90\)90131-B](https://doi.org/10.1016/0277-9536(90)90131-B)

World Health Organizar. (2005). The Treatment of Diarrhoea. *A Manual for Physicians and Other Senior Health Workers*, 1–50. [https://doi.org/ISBN 92 4 159318 0](https://doi.org/ISBN%209241593180)

Page, A.-L., Hustache, S., Luquero, F. J., Djibo, A., Manzo, M. L., & Grais, R. F. (2011). Health care seeking behavior for diarrhea in children under 5 in rural Niger: results of a cross-sectional survey. *BMC Public Health*, *11*(1), 389.  
<https://doi.org/10.1186/1471-2458-11-389>

Pillai, R. K., Williams, S. V., Glick, H. A., Polsky, D., Berlin, J. A., & Lowe, R. A. (2003). Factors affecting decisions to seek treatment for sick children in Kerala, India. *Social Science and Medicine*. [https://doi.org/10.1016/S0277-9536\(02\)00448-3](https://doi.org/10.1016/S0277-9536(02)00448-3)

Santerre, R., & Neun, S. (2010). *Health Economics: Theories, Insights, and Industry Studies*. *Health Economics: Theories, Insights, and Industry Studies*.

<https://doi.org/10.1002/9781444325263.ch25>

Shaikh, B. T., & Hatcher, J. (2005). Health seeking behaviour and health service utilization in Pakistan : challenging the policy makers, (1), 49–54.

<https://doi.org/10.1093/pubmed/fdh207>

Statistics Agency of Indonesia (Badan Pusat Statistik [BPS]), National Population and Family Planning Board (BKKBN), Indonesia Ministry of Health

(Depkes RI), & ICF International. (2013). *Indonesia Demographic and*

*Health Survey 2012. ... Health Care*. Retrieved from

<http://www.dhsprogram.com>

The DHS Program - Wealth Index Construction. (2018).

Ward, H., Mertens, T., & Thomas, C. (1997). Health seeking behaviour and the control of sexually transmitted disease. *Health Policy and Planning*, 12

(July), 19–28. Retrieved from

<http://heapol.oxfordjournals.org/content/12/1/19.short>

WHO | Water & Sanitation (2016). *WHO*. Retrieved from

[http://www.who.int/water\\_sanitation\\_health/monitoring/jmp2012/key\\_terms/en/](http://www.who.int/water_sanitation_health/monitoring/jmp2012/key_terms/en/)

World Health Organization (WHO). (2017). Diarrhoeal Disease. Retrieved June

23, 2018, from <http://www.who.int/news-room/fact-sheets/detail/diarrhoeal-disease>